Contents of Volume 84

PAGE

ANTONIADIS, A., GIJBELS, I. and GRÉGOIRE, G. Model selection using wavelet decomposition and applications 751

ARJAS, E. and GASBARRA, D. On prequential model assessment in life history analysis 505

AZZALINI, A. Amendments and Corrections to: Logistic regression for autocorrelated data with application to repeated measures. *Biometrika* (1994), **81**, pp. 767–775 989

BACCAR, D. (See MENTRÉ, F.)

BAGDONAVIČIUS, V. B. and NIKULIN, M. S. Transfer functionals and semiparametric regression models 365

BINGHAM, N. H. (See HOLGATE, P.)

BOTTER, D. A. (See FERRARI, S. L. P.)

BRYANT, J. (See DAY, R.)

BURA, E. (See COOK, R. D.)

BURKE, M. D. (See YUEN, K. C.)

CAI, J. (See QAQISH, B. F.)

CAPÉRAÀ, P., FOUGÈRES, A.-L. and GENEST, C. A nonparametric estimation procedure for bivariate extreme value copulas 567

CAPRA, W. B. (See MÜLLER, H.-G.)

CARROLL, R. J. Surprising effects of measurement error on an aggregate data estimator 231

CATCHPOLE, E. A. and MORGAN, B. J. T. Detecting parameter redundancy . 187

CLARK, L. C. (See LUO, X.)

COLES, S. G. (See SMITH, R. L.)

COOK, R. D. and BURA, E. Testing the adequacy of regression functions . . 949

CRIBARI-NETO, F. (See FERRARI, S. L. P.)

DAY, R., BRYANT, J. and LEFKOPOULOU, M. Adaptation of bivariate frailty models for prediction, with application to biological markers as prognostic indicators 45

DAY, R. S. (See KOWALSKI, J.)

DE JONG, P. The scan sampler for time series models 929

DEMETS, D. L. (See PINHEIRO, J. C.)

DESIMONE, J. (See PHILIPSON, T.)

DIVECHA, J. (See GHOSH, D. K.)

DOUGHERTY, JR, G. G. Estimation of common linear functional relationships in k data sets 103

DURBIN J. and KOOPMAN, S. J. Monte Carlo maximum likelihood estimation for non-Gaussian state space models 669

EFRON, B. The length heuristic for simultaneous hypothesis tests 143

ENGEN, S. and LILLEGÅRD, M. Stochastic simulations conditioned on sufficient statistics 235

FERRARI, S. L. P., BOTTER, D. A. and CRIBARI-NETO, F. Local power of three classic criteria in generalised linear models with unknown dispersion . . 482
FOUGÈRES, A.-L. (See CAPÉRAÀ, P.)
FRIGESSI, A., MARTINELLI, F. and STANDER, J. Computational complexity of Markov chain Monte Carlo methods for finite Markov random fields . . 1
FUJIKOSHI, Y. and SATOH, K. Modified AIC and C_p in multivariate linear regression 707
GALBRAITH, J. W. and ZINDE-WALSH, V. On some simple, autoregression-based estimation and identification techniques for ARMA models 685
GALLANT, A. R. and LONG, J. R. Estimating stochastic differential equations efficiently by minimum chi-squared 125
GARVAN, C. W. and GHOSH, M. Noninformative priors for dispersion models . 976
GASBARRA, D. (See ARJAS, E.)
GENEST, C. (See CAPÉRAÀ, P.)
GEYER, C. J. (See SHAW, F. H.)
GHOSH, D. K. and DIVECHA, J. Two associate class partially balanced incomplete block designs and partial diallel crosses. 245
GHOSH, M. (See GARVAN, C. W.)
GHOSH, M. (See MUKERJEE, R.)
GIJBELS, I. (See ANTONIADIS, A.)
GRÉGOIRE, G. (See ANTONIADIS, A.)
GUTIÉRREZ-PEÑA, E. Moments for the canonical parameter of an exponential family under a conjugate distribution 727
HALL, P. and TURLACH, B. A. Enhancing convolution and interpolation methods for nonparametric regression 779
HE, X. and SHEN, L. Linear regression after spline transformation 474
HETTMANSPERGER, T. P. (See ÖZTÜRK, Ö.)
HOLGATE, P. Studies in the history of probability and statistics XLV. Independent functions: Probability and analysis in Poland between the Wars (with Introduction by N. H. Bingham) 159
HSU, J. S. J. and LEONARD, T. Hierarchical Bayesian semiparametric procedures for logistic regression 85
HSU, L. (See PRENTICE, R. L.)
HU, I. Strong consistency in stochastic regression models via posterior covariance matrices 744
HU, P. and ZELEN, M. Planning clinical trials to evaluate early detection programmes 817
HWANG, J. T. G. and WANG, W. The validity of the test of individual equivalence ratios 893
JEWELL, N. P. (See LAAN, M. J. VAN DER)
JOHNSON, W. O. (See WESTFALL, P. H.)
JONES, M. P. A class of semiparametric regressions for the accelerated failure time model 73
KENWARD, M. G. (See MOLENBERGHS, G.)
KONG, F. H. and SLUD, E. Robust covariate-adjusted logrank tests 847
KOOPMAN, S. J. (See DURBIN, J.)
KORN, E. L. (See SLUD, E. V.)
KOWALSKI, J., TU, X. M., DAY, R. S. and MENDOZA-BLANCO, J. R. On the rate of convergence of the ECME algorithm for multiple regression models with t-distributed errors 269

KUSHNER, H. B. Optimality and efficiency of two-treatment repeated measurements designs 455
KWAN, A. C. C. and WU, Y. Further results on the finite-sample distribution of Monti's portmanteau test for the adequacy of an ARMA (p, q) model . . 733
LAAN, M. J. VAN DER, JEWELL, N. P. and PETERSON, D. R. Efficient estimation of the lifetime and disease onset distribution 539
LEE, T. C. M. A simple span selector for periodogram smoothing 965
LEFKOPOULOU, M. (See DAY, R.)
LEONARD, T. (See HSU, J. S. J.)
LESAFFRE, E. (See MOLENBERGHS, G.)
LI, W. K. (See WONG, C. S.)
LI, W. K. (See WONG, H.)
LILLEGÅRD, M. (See ENGEN, S.)
LIN, X. Variance component testing in generalised linear models with random effects 309
LINTON, O. B. Efficient estimation of additive nonparametric regression models . 469
LONG, J. R. (See GALLANT, A. R.)
LUCEÑO, A. Estimation of missing values in possibly partially nonstationary vector time series 495
LUO, X., TURNBULL, B. W. and CLARK, L. C. Likelihood ratio tests for a changepoint with survival data 555
MA, C. On the exact likelihood function of a multivariate autoregressive moving average model 957
MADIGAN, D. and YORK, J. C. Bayesian methods for estimation of the size of a closed population 19
MALLET, A. (See MENTRÉ, F.)
MALLICK, B. K. and WALKER, S. G. Combining information from several experiments with nonparametric priors 697
MAMMEN, E. and MARRON, J. S. Mass recentred kernel smoothers 765
MARRON, J. S. (See MAMMEN, E.)
MARSHALL, A. W. and OLKIN, I. A new method for adding a parameter to a family of distributions with application to the exponential and Weibull families . 641
MARTINELLI, F. (See FRIGESSI, A.)
MARZEC, L. and MARZEC, P. On fitting Cox's regression model with time-dependent coefficients 901
MARZEC, P. (See MARZEC, L.)
MENDOZA-BLANCO, J. R. (See KOWALSKI, J.)
MENTRÉ F., MALLET, A. and BACCAR, D. Optimal design in random-effects regression models 429
MOLENBERGHS, G., KENWARD, M. G. and LESAFFRE, E. The analysis of longitudinal ordinal data with nonrandom drop-out 33
MONTI, A. C. Empirical likelihood confidence regions in time series models . . 395
MORGAN, B. J. T. (See CATCHPOLE, E. A.)
MORGAN, J. P. (See UDDIN, N.)
MUKERJEE, R. Optimal partial diallel crosses 939
MUKERJEE, R. and GHOSH, M. Second-order probability matching priors . . 970
MÜLLER, H.-G., WANG, J.-L. and CAPRA, W. B. From lifetables to hazard rates: The transformation approach 881

MÜLLER, P. and ROEDER, K. A Bayesian semiparametric model for case-control studies with errors in variables 523
NIELSEN, B. Bartlett correction of the unit root test in autoregressive models . 500
NIKULIN, M. S. (See BAGDONAVIČIUS, V. B.)
OLKIN, I. (See MARSHALL, A. W.)
ÖZTÜRK, Ö. and HETTMANSPERGER, T. P. Generalised weighted Cramér–von Mises distance estimators 283
PAIK, M. C. and TSAI, W.-Y. On using the Cox proportional hazards model with missing covariates 579
PARK, H.-I. A note on the relation between two forms of linear rank statistics for right censored and grouped data 987
PARMIGIANI, G. Timing medical examinations via intensity functions . . . 803
PENZER, J. and SHEA, B. The exact likelihood of an autoregressive-moving average model with incomplete data 919
PEPE, M. S. A regression modelling framework for receiver operating characteristic curves in medical diagnostic testing 595
PETERSON, D. R. (See LAAN, M. J. VAN DER)
PHILIPSON, T. and DESIMONE, J. Experiments and subject sampling 619
PICKANDS III, J. and STINE, R. A. Estimation for an $M/G/\infty$ queue with incomplete information 295
PINHEIRO, J. C. and DEMETS, D. L. Estimating and reducing bias in group sequential designs with Gaussian independent increment structure 831
PITT, M. K. (See SHEPHARD, N.)
PRENTICE, R. L. and HSU, L. Regression on hazard ratios and cross ratios in multivariate failure time analysis 349
PROSCHAN, M. A. Conditional power with Fisher's least significant difference procedure 197
QAQISH, B. F., ZHOU, H. and CAI, J. On case-control sampling of clustered data 983
QIN, J. and ZHANG, B. A goodness-of-fit test for logistic regression models based on case-control data 609
RABINOWITZ, D. A note on efficient estimation from case-control data . . . 486
RAY, B. K. and TSAY, R. S. Bandwidth selection for kernel regression with long-range dependent errors 791
RIVEST, L.-P. A decentred predictor for circular–circular regression 717
ROEDER, K. (See MÜLLER, P.)
SALEHI M., M. and SEBER, G. A. F. Adaptive cluster sampling with networks selected without replacement 209
SAMUELSEN, S. O. A pseudolikelihood approach to analysis of nested case-control studies 379
SATOH, K. (See FUJIKOSHI, Y.)
SCHOTT, J. R. Asymptotics of eigenprojections of correlation matrices with some applications in principal components analysis 327
SCOTT, A. J. and WILD, C. J. Fitting regression models to case-control data by maximum likelihood 57
SEBER, G. A. F. (See SALEHI M., M.)
SHAW, F. H. and GEYER, C. J. Estimation and testing in constrained covariance component models 95
SHEA, B. (See PENZER, J.)

SHEN, L. (See HE, X.)
SHEPHARD, N. and PITT, M. K. Likelihood analysis of non-Gaussian measurement time series 653
SHI, L. Local influence in principle components analysis 175
SILLIMAN, N. P. Nonparametric classes of weight functions to model publication bias 909
SLUD, E. (See KONG, F. H.)
SLUD, E. V. and KORN, E. L. Semiparametric two-sample tests in clinical trials with a post-randomisation response indicator 221
SMITH, R. L., TAWN, J. A. and COLES, S. G. Markov chain models for threshold exceedances 249
STANDER, J. (See FRIGESSI, A.)
STANGHELLINI, E. Identification of a single-factor model using graphical Gaussian rules 241
STINE, R. A. (See PICKANDS III, J.)
TAWN, J. A. (See SMITH, R. L.)
TODD, S. and WHITEHEAD, J. Confidence interval calculation for a sequential clinical trial of binary responses 737
TSAI, W.-Y. (See PAIK, M. C.)
TSAY, R. S. (See RAY, B. K.)
TSIATIS, A. A. (See ZHAO, H.)
TU, X. M. (See KOWALSKI, J.)
TURLACH, B. A. (See HALL, P.)
TURNBULL, B. W. (See LUO, X.)
UDDIN, N. and MORGAN, J. P. Efficient block designs for settings with spatially correlated errors 443
UTTS, J. M. (See WESTFALL, P. H.)
WALKER, S. G. (See MALLICK, B. K.)
WANG, J.-L. (See MÜLLER, H.-G.)
WANG, W. and WELLS, M. T. Nonparametric estimators of the bivariate survival function under simplified censoring conditions 863
WANG, W. (See HWANG, J. T. G.)
WELLS, M. T. (See WANG, W.)
WEST, M. Time series decomposition 489
WESTFALL, P. H., JOHNSON, W. O. and UTTS, J. M. A Bayesian perspective on the Bonferroni adjustment 419
WHITEHEAD, J. (See TODD, S.)
WHITTEMORE, A. S. Amendments and Corrections to: Logistic regression of family data from case-control studies. *Biometrika* (1995), **82**, pp. 57–67 989
WILD, C. J. (See SCOTT, A. J.)
WONG, C. S. and LI, W. K. Testing for threshold autoregression with conditional heteroscedasticity 407
WONG, H. and LI, W. K. On a multivariate conditional heteroscedastic model . 111
WU, Y. (See KWAN, A. C. C.)
YORK, J. C. (See MADIGAN, D.)
YUEN, K. C. and BURKE, M. D. A test of fit for the semiparametric additive risk model 631
ZELEN, M. (See HU, P.)

ZHANG, B. (See QIN, J.)
ZHAO, H. and TSIATIS, A. A. A consistent estimator for the distribution of quality adjusted survival time 339
ZHOU, H. (See QAQISH, B. F.)
ZINDE-WALSH, V. (See GALBRAITH, J. W.)